

L Number	Hits	Search Text	DB	Time stamp
1	11785	class same (path or directory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 10:40
2	24951	class same (location or locating or locator or locate\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 10:40
3	3354	(class same (path or directory)) and (class same (location or locating or locator or locate\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 10:40
4	878	((class same (path or directory)) and (class same (location or locating or locator or locate\$1))) and Java	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 10:40
5	359	((class same (path or directory)) and (class same (location or locating or locator or locate\$1))) and Java adj class	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 10:41
6	179	((class same (path or directory)) and (class same (location or locating or locator or locate\$1))) and Java adj class and (wrapper or code or module) same (API or (pogramming adj interface))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 11:16
7	120	((class same (path or directory)) and (class same (location or locating or locator or locate\$1))) and Java adj class and (wrapper or code or module) same (API or (pogramming adj interface)) and (cach\$3 or (memory adj cach\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 10:42
8	119	((class same (path or directory)) and (class same (location or locating or locator or locate\$1))) and Java adj class and (wrapper or code or module) same (API or (pogramming adj interface)) same (class or locat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 10:46
9	96	((class same (path or directory)) and (class same (location or locating or locator or locate\$1))) and Java adj class and (wrapper or code or module) same (API or (pogramming adj interface)) same (class or locator)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 11:16
10	221	classpath	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 11:16
11	79	classpath and (wrapper or code or module) same (API or (pogramming adj interface))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 11:23
12	17	class adj (locator or finder)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 11:23

L Number	Hits	Search Text	DB	Time stamp
1	399	(classpath or (class with (path or directory or location))) and wrapper and (API\$1 or (program\$7 adj interface))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 09:18
2	116	((classpath or (class with (path or directory or location))) and wrapper and (API\$1 or (program\$7 adj interface))) and (707/\$.ccls. or 717/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 09:32
3	12	((((classpath or (class with (path or directory or location))) and wrapper and (API\$1 or (program\$7 adj interface))) and (707/\$.ccls. or 717/\$.ccls.)) and (creat\$5 or generat\$6 or construct\$6 or establish\$6 or build\$4 or implement\$5) near6 cach\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 09:17
4	17126	(creat\$5 or generat\$6 or construct\$6 or establish\$6 or build\$4 or implement\$5) near6 cach\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 09:27
5	628	((creat\$5 or generat\$6 or construct\$6 or establish\$6 or build\$4 or implement\$5) near6 cach\$3) and classes! same (path or directory or location)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 09:28
6	12	(((creat\$5 or generat\$6 or construct\$6 or establish\$6 or build\$4 or implement\$5) near6 cach\$3) and classes! same (path or directory or location)) and wrapper same (API\$1 or (programming adj interface))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 09:20
7	60	(((creat\$5 or generat\$6 or construct\$6 or establish\$6 or build\$4 or implement\$5) near6 cach\$3) and classes! same (path or directory or location)) and wrapper and (API\$1 or (programming adj interface))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 09:20
9	4	(((((creat\$5 or generat\$6 or construct\$6 or establish\$6 or build\$4 or implement\$5) near6 cach\$3) and classes! same (path or directory or location)) and wrapper and (API\$1 or (programming adj interface))) and Java adj4 class) and zip\$5 adj file	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 09:27
8	28	(((((creat\$5 or generat\$6 or construct\$6 or establish\$6 or build\$4 or implement\$5) near6 cach\$3) and classes! same (path or directory or location)) and wrapper and (API\$1 or (programming adj interface))) and Java adj4 class	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 09:28
10	549	(((((creat\$5 or generat\$6 or construct\$6 or establish\$6 or build\$4 or implement\$5) near6 cach\$3) and classes! same (path or directory or location)) and wrapper and (API\$1 or (programming adj interface))) and Java adj4 class) factory near4 class	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 09:24
11	923	8and factory near4 class	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 09:24
12	8	(((((creat\$5 or generat\$6 or construct\$6 or establish\$6 or build\$4 or implement\$5) near6 cach\$3) and classes! same (path or directory or location)) and wrapper and (API\$1 or (programming adj interface))) and Java adj4 class) and factory near4 class	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 09:24
13	9800	(creat\$5 or generat\$6 or construct\$6 or establish\$6 or build\$4 or implement\$5) near2 cach\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 09:27

14	488	((creat\$5 or generat\$6 or construct\$6 or establish\$6 or build\$4 or implement\$5) near2 cach\$3) and Java and classes!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 09:27
15	10	(((creat\$5 or generat\$6 or construct\$6 or establish\$6 or build\$4 or implement\$5) near2 cach\$3) and Java and classes!) and zip\$5 adj file	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 09:27
16	239	((creat\$5 or generat\$6 or construct\$6 or establish\$6 or build\$4 or implement\$5) near2 cach\$3) and Java adj4 class	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 09:28
17	127	(((creat\$5 or generat\$6 or construct\$6 or establish\$6 or build\$4 or implement\$5) near2 cach\$3) and Java adj4 class) and class same (path or directory or location)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 09:30
18	11	(((creat\$5 or generat\$6 or construct\$6 or establish\$6 or build\$4 or implement\$5) near2 cach\$3) and Java adj4 class) and class same (path or directory or location)) and class near6 (locator or finder)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 09:31
19	17	((creat\$5 or generat\$6 or construct\$6 or establish\$6 or build\$4 or implement\$5) near2 cach\$3) and class near6 (locator or finder)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 09:32
20	223	class near6 (locator or finder)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 09:36
21	44	(class near6 (locator or finder)) and (707/\$.ccls. or 717/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 09:32
22	153	class adj6 (locator or finder)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 09:39
23	33	(class adj6 (locator or finder)) same (path or directory or location or hierarch\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 09:39

14	488	((creat\$5 or generat\$6 or construct\$6 or establish\$6 or build\$4 or implement\$5) near2 cach\$3) and Java and classes!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 09:27
15	10	(((creat\$5 or generat\$6 or construct\$6 or establish\$6 or build\$4 or implement\$5) near2 cach\$3) and Java and classes!) and zip\$5 adj file	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 09:27
16	239	((creat\$5 or generat\$6 or construct\$6 or establish\$6 or build\$4 or implement\$5) near2 cach\$3) and Java adj4 class	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 09:28
17	127	(((creat\$5 or generat\$6 or construct\$6 or establish\$6 or build\$4 or implement\$5) near2 cach\$3) and Java adj4 class) and class same (path or directory or location)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 09:30
18	11	(((creat\$5 or generat\$6 or construct\$6 or establish\$6 or build\$4 or implement\$5) near2 cach\$3) and Java adj4 class) and class same (path or directory or location)) and class near6 (locator or finder)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 09:31
19	17	((creat\$5 or generat\$6 or construct\$6 or establish\$6 or build\$4 or implement\$5) near2 cach\$3) and class near6 (locator or finder)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 09:32
20	223	class near6 (locator or finder)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 09:36
21	44	(class near6 (locator or finder)) and (707/\$.ccls. or 717/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 09:32
22	153	class adj6 (locator or finder)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 09:39
23	33	(class adj6 (locator or finder)) same (path or directory or location or hierarch\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 09:42
25	146	(((creat\$5 or generat\$6 or construct\$6 or establish\$6 or build\$4 or implement\$5) near6 cach\$3) and classes! same (path or directory or location)) and (module or code) same (API\$1 or (programming adj interface))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 09:51
26	44	(((creat\$5 or generat\$6 or construct\$6 or establish\$6 or build\$4 or implement\$5) near6 cach\$3) and classes! same (path or directory or location)) and (module or code) same (API\$1 or (programming adj interface))) and (classpath or (class with (path or directory or location))) and wrapper and (API\$1 or (program\$7 adj interface))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 09:45
27	44	(((creat\$5 or generat\$6 or construct\$6 or establish\$6 or build\$4 or implement\$5) near6 cach\$3) and classes! same (path or directory or location)) and (module or code) same (API\$1 or (programming adj interface))) and (classpath or (class with (path or directory or location))) and wrapper	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 09:45

28	74	(((classpath or (class with (path or directory or location))) and wrapper and (API\$1 or (program\$7 adj interface))) and (707/\$.ccls. or 717/\$.ccls.)) and (module or code) same (API\$1 or (programming adj interface)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 09:47
29	32	(((classpath or (class with (path or directory or location))) and wrapper and (API\$1 or (program\$7 adj interface))) and (707/\$.ccls. or 717/\$.ccls.)) and (module or code) same (API\$1 or (programming adj interface))) and name adj2 class	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 09:53
30	37	(((classpath or (class with (path or directory or location))) and wrapper and (API\$1 or (program\$7 adj interface))) and (707/\$.ccls. or 717/\$.ccls.)) and (module or code) same (API\$1 or (programming adj interface))) and name near class	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 09:53